

Part no. RM-107-15349



Male thread (fine), M10-1.25x10, 1.5 in. ball (size C) - RAM-349U

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	

Part no. RM-107-15349

Dimensions

Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

Part no. RM-107-15349

Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Variants

RM-107-15349	Außengewinde (fein), M10-1,25x10, 1,5-Zoll-Kugel (Größe C) RAM-349U
RM-122-15379	Außengewinde, M8-1,25x10 mm, 1,5-Zoll-Kugel (Größe C) RAP-379U-M812510
RM-131-15379	Außengewinde, M12-1,75x12 mm, 1,5-Zoll-Kugel (Größe C) RAP-379U-M1217512
RM-134-15379	Außengewinde, M6-1x6 mm, 1,5-Zoll-Kugel (Größe C) RAP-379U-M616
RM-139-15379	Außengewinde, M10-1,5x25 mm, 1,5-Zoll-Kugel (Größe C) RAP-379U-M101525

Accessories