

**Part no. RM-141-22243**



12.7x7.14 cm (VESA100/50), with 2.25 in. ball (size D) - RAM-D-243U

## Specifications

<b>Voltage range (V), nominal</b>	
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	
<b>Others</b>	
<b>Ingress protection</b>	
<b>Resistivity</b>	

**Part no. RM-141-22243**

## Dimensions

## Mounting

<b>Mounting type</b>	
<b>Installation dimensions/diameter [mm]</b>	
<b>Installation depth [mm]</b>	
<b>Connector</b>	
<b>Mating connector</b>	
<b>Reverse polarity protection</b>	0

**Part no. RM-141-22243**

## Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

## Variants

RM-113-22246	VESA 75/100, 12x12 cm (4,75x4,75 Zoll), 2,25-Zoll-Kugel (Größe D) RAM-D-246U
RM-117-22461	VESA 75, 9,2x9,2 cm (3,625x3,625 Zoll), 2,25-Zoll-Kugel (Größe D) RAM-D-2461U
RM-141-22243	12,7x7,14 cm (VESA100/50), mit 2,25-Zoll-Ball (Größe D) RAM-D-243U

## Accessories