

Part no. RM-517-22201



16.7 cm (6.5625 in.), for 2.25 in. ball (size D)

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	

Part no. RM-517-22201

Dimensions

Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

Part no. RM-517-22201

Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Variants

RM-517-22201	16,7 cm (6,5625 Zoll), für 2,25-Zoll-Kugel (Größe D) RAM-D-201U
RM-518-22201	28,4 cm (11,1875 Zoll), für 2,25-Zoll-Kugel (Größe D) RAM-D-201U-E
RM-523-22201	8,1 cm (3,1875 Zoll), für 2,25-Zoll-Kugel (Größe D), mit Kontermutter RAM-D-201U-C-MI1
RM-533-22201	16,7 cm (6,5625 Zoll), für 2,25-Zoll-Kugel (Größe D), mit Kontermutter RAM-D-201U-MI1

Accessories