

**Part no. RM-808-005**



with key, for all 1.5 in. joint arms (size C), 5/16 in. thread (brass)

## Specifications

<b>Voltage range (V), nominal</b>	
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	
<b>Others</b>	
<b>Ingress protection</b>	
<b>Resistivity</b>	

**Part no. RM-808-00500**

## Dimensions

## Mounting

<b>Mounting type</b>	
<b>Installation dimensions/diameter [mm]</b>	
<b>Installation depth [mm]</b>	
<b>Connector</b>	
<b>Mating connector</b>	
<b>Reverse polarity protection</b>	0

**Part no. RM-808-00500**

## Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

## Variants

<b>RM-800-00500</b>	Pin-Lock™ Sicherheits-Knebel, für alle 1-Zoll-Verbindungsarme (Größe B) RAP-S-KNOB3U
<b>RM-804-00500</b>	Pin-Lock™ Sicherheits-Knebel, für alle 1,5-Zoll-Verbindungsarme (Größe C) RAP-S-KNOB5U
<b>RM-805-00600</b>	Key-Lock Sicherheits-Knebel, mit Schlüssel, für Swing-Arms-Verbinder RAM-KNOB6LU
<b>RM-806-00300</b>	Key-Lock Sicherheits-Knebel, mit Schlüssel, für alle 1-Zoll-Verbindungsarme (Größe B), 1/4-Zoll-Gewinde (Messing) RAM-KNOB3LU
<b>RM-808-00500</b>	Key Lock Sicherheits-Knebel, mit Schlüssel, für alle 1,5-Zoll-Verbindungsarme (Größe C), 5/16-Zoll-Gewinde (Messing) RAM-KNOB5LU

## Accessories