

**Part no. SL-250-006**



Key code M600, 1 pc., type 3

## Specifications

<b>Voltage range (V), nominal</b>	
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	
<b>Others</b>	
<b>Ingress protection</b>	
<b>Resistivity</b>	

**Part no. SL-250-00600**

## Dimensions

## Mounting

<b>Mounting type</b>	
<b>Installation dimensions/diameter [mm]</b>	
<b>Installation depth [mm]</b>	
<b>Connector</b>	
<b>Mating connector</b>	
<b>Reverse polarity protection</b>	0

### Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

### Variants

SL-250-00600	Schließung M600, 1 Paar, Typ 3
SL-250-00601	Schließung M601, 1 Paar, Typ 3
SL-250-00602	Schließung M602, 1 Paar, Typ 3
SL-250-00603	Schließung M603, 1 Paar, Typ 3
SL-250-00604	Schließung M604, 1 Paar, Typ 3
SL-250-00605	Schließung M605, 1 Paar, Typ 3
SL-250-00606	Schließung M606, 1 Paar, Typ 3
SL-250-00607	Schließung M607, 1 Paar, Typ 3
SL-250-00608	Schließung M608, 1 Paar, Typ 3
SL-250-00609	Schließung M609, 1 Paar, Typ 3
SL-250-00610	Schließung M610, 1 Paar, Typ 3
SL-250-00611	Schließung M611, 1 Paar, Typ 3
SL-250-00612	Schließung M612, 1 Paar, Typ 3
SL-250-00613	Schließung M613, 1 Paar, Typ 3
SL-250-00614	Schließung M614, 1 Paar, Typ 3
SL-250-00615	Schließung M615, 1 Paar, Typ 3
SL-250-00616	Schließung M616, 1 Paar, Typ 3
SL-250-00617	Schließung M617, 1 Paar, Typ 3
SL-250-00618	Schließung M618, 1 Paar, Typ 3
SL-250-00619	Schließung M619, 1 Paar, Typ 3
SL-250-00620	Schließung M620, 1 Paar, Typ 3
SL-250-00621	Schließung M621, 1 Paar, Typ 3
SL-250-00622	Schließung M622, 1 Paar, Typ 3
SL-250-00623	Schließung M623, 1 Paar, Typ 3
SL-250-00624	Schließung M624, 1 Paar, Typ 3
SL-250-00625	Schließung M625, 1 Paar, Typ 3
SL-250-00626	Schließung M626, 1 Paar, Typ 3

SL-250-00627	Schließung M627, 1 Paar, Typ 3
SL-250-00628	Schließung M628, 1 Paar, Typ 3
SL-250-00629	Schließung M629, 1 Paar, Typ 3
SL-250-00630	Schließung M630, 1 Paar, Typ 3
SL-250-00631	Schließung M631, 1 Paar, Typ 3
SL-250-00632	Schließung M632, 1 Paar, Typ 3
SL-250-00633	Schließung M633, 1 Paar, Typ 3
SL-250-00634	Schließung M634, 1 Paar, Typ 3
SL-250-00635	Schließung M635, 1 Paar, Typ 3
SL-250-00636	Schließung M636, 1 Paar, Typ 3
SL-250-00637	Schließung M637, 1 Paar, Typ 3
SL-250-00638	Schließung M638, 1 Paar, Typ 3
SL-250-00639	Schließung M639, 1 Paar, Typ 3
SL-250-00640	Schließung M640, 1 Paar, Typ 3
SL-250-00641	Schließung M641, 1 Paar, Typ 3
SL-250-00642	Schließung M642, 1 Paar, Typ 3
SL-250-00643	Schließung M643, 1 Paar, Typ 3
SL-250-00644	Schließung M644, 1 Paar, Typ 3
SL-250-00645	Schließung M645, 1 Paar, Typ 3
SL-250-00646	Schließung M646, 1 Paar, Typ 3
SL-250-00647	Schließung M647, 1 Paar, Typ 3
SL-250-00648	Schließung M648, 1 Paar, Typ 3
SL-250-00649	Schließung M649, 1 Paar, Typ 3

## Accessories