

Part no. ZU-1916-93394



for model 93, pedestal mount, single lamp

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	

Part no. ZU-1916-93394

Dimensions

Mounting

Mounting type	spez. Montagehalter
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

Part no. ZU-1916-93394

Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Variants

ZU-1913-93391	für Modell 93, Einbau, 3-Punkt-Montage, 1,5 mm
ZU-1914-93392	für Modell 93, Einbau, 3-Punkt-Montage, 3 mm
ZU-1915-93393	für Modell 93. Aufbau, Doppelhalter für 2 Scheinwerfer
ZU-1916-93394	für Modell 93, Aufbau, für 1 Scheinwerfer

Accessories

PL-1911-93461	LED-Fahrtrichtungsanzeiger Modell 93 12-24 V, gelb, mit Tagfahrlicht, mit Standlicht, ECE-Straßenzulassung (Reg. 6, 7, 87)
FS-1906-93311	LED-Fahrscheinwerfer Modell 93 12-24 V, Abblendlicht, ECE-Straßenzulassung (Reg. 112), DOT